

DECLARATION OF PERFORMANCE

According to UE No. 305/211

n° WS- 01 – 13 – IT

1. Unique identification code of the product-type:

WS range

2. Type, batch number or any other element allowing identification of the construction product as required pursuant to Article 11 (4) :

code, description, batch number and length are marked on the product and printed on the external package

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Waterstop PVC for construction joints

4. Name, registered trade number or registered trade mark and contact address of the manufacturer according to Article 11 § 5:

RIMARPLAST srl
Via IV Novembre 42/a – loc. Campese
36061 Bassano del Grappa (VI) – Italy
Tel. 0424/501121
Fax. 0424/501996
Email: info@rimarplast.com

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 § 2:

not applicable

6. System or systems of Assessment of Performance and Verification of Constancy of the construction product as set out in Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised Standard:

not applicable

8. In case of declaration of performance concerning a construction product covered by European Technical Assessment:

not applicable

Вярно е Оригинал



9. Declared performance:

TECHNICAL DATA SHEET	UNIT OF MEASURE	VALUES	TEST METHOD
HARDNESS	Sh. A 15"	70/75 ± 2	ISO 868
SPECIFIC WEIGHT	g/ cm3	1.40 ± 0.03	ISO 1183
TENSILE STRENGTH AT BREAK	N/mm2	12±2	ISO 527
ELONGATION AT BREAK	%	250±30	ISO 527
STIFFNESS TEMPERATURE	°C	-25±4	ISO 458/2
OILS RESISTANCE	Normal resistance in case of contact of short duration not suitable to immersions of long duration.		

**10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.**


Rimarplast srl

Nicoletta Reginato
CEO

Bassano del Grappa, 21 September 2020

SIGNED ON BEHALF OF THE MANUFACTURER:

Регинато е Ринглат



ДЕКЛАРАЦИЯ ЗА ЕКСПЛОАТАЦИОННИ ПОКАЗАТЕЛИ

№ WS-01 - 13 - IT

1. Уникален идентификационен код на типа продукт:

PVC водоспиращи ленти от гама WS

2. Тип, партиден номер или друг елемент, позволяващ идентифициране на строителния продукт съгласно изискванията на чл. 11(4):

Код, описание, партиден номер и дължина са отбелязани върху продукта и са отпечатани върху външната опаковка.

3. Предвидена употреба/ употреби на строителния продукт съгласно с хармонизираната техническа спецификация, както е представена от производителя:

PVC водоспиращи ленти за конструкционни съединения.

4. Наименование, рег. търговски номер, рег. търговска марка, адрес за контакт на производителя съгласно изискванията на чл. 11(5):

RIMARPLAST srl
Via IV Novembre 42/a – loc. Campese
36061 Bassano del Grappa (VI) – Italy
Tel. 0424/501121
Fax. 0424/501996
E-mail: info@rimarplast.com

5. Наименование и адрес за контакт на упълномощен представител:

4 SMART ООД
ЕИК 204819771
жк. Дианабад, ул. Тинтява 15Г
гр. София - България
E-mail: office@4smart.bg

6. Система/ системи за оценяване и проверка на постоянството на експлоатационните показатели съгласно Анекс V:

Система 4

7. Препокриване с хармонизиран стандарт:

Не е приложимо



ДЕКЛАРАЦИЯ ЗА ЕКСПЛОАТАЦИОННИ ПОКАЗАТЕЛИ

8. Издаден Европейски документ за оценяване:

Не е приложимо

9. Декларирани експлоатационни показатели:

ТЕХНИЧЕСКИ ХАРАКТЕРИСТИКИ	МЕРНА ЕДИНИЦА	СТОЙНОСТ	МЕТОД НА ИЗПИТВАНЕ
ТВЪРДОСТ	Sh. A 15"	70/75 ± 2	ISO 868
СПЕЦИФИЧНО ТЕГЛО	g/ cm3	1.40 ± 0.03	ISO 1183
ЯКОСТ НА ОПЪН ПРИ СКЪСВАНЕ	N/mm2	12±2	ISO 527
ОТНОСИТЕЛНО УДЪЛЖАВАНЕ ПРИ СКЪСВАНЕ	%	250±30	ISO 527
ЗАПАЗВАНЕ НА ГЪВКОВОСТ ДО ТЕМПЕРАТУРА	°C	-25±4	ISO 458/2
УСТОЙЧИВОСТ НА МАСЛА	Нормална устойчивост при контакт или краткотрайна изложеност. Неподходящ продукт при продължително потапяне.		

10. Експлоатационните показатели на продукта, посочен в точки 1 и 2, са в съответствие с декларираните експлоатационни показатели в точка 9.

Настоящата декларация за експлоатационни показатели се издава в съответствие с Регламент (ЕС) № 305/2011, като отговорността за нея се носи изцяло от производителя, идентифициран в точка 4.

Подписано за и от името на производителя от:
Владимир Нешев – управител на „4 СМАРТ“ ООД
(име, длъжност)

София – 15.03.2021г.

(ПОДПИС).....

